

## Preferential initiation and spread of anoxic depolarization in layer 4 of rat barrel cortex

Juzekaeva E., Nasretudinov A., Gainutdinov A., Sintsov M., Mukhtarov M., Khazipov R.  
*Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia*

---

### Abstract

© 2017 Juzekaeva, Nasretudinov, Gainutdinov, Sintsov, Mukhtarov and Khazipov. Anoxic depolarization (AD) is a hallmark of ischemic brain damage. AD is associated with a spreading wave of neuronal depolarization and an increase in light transmittance. However, initiation and spread of AD across the layers of the somatosensory cortex, which is one of the most frequently affected brain regions in ischemic stroke, remains largely unknown. Here, we explored the initiation and propagation of AD in slices of the rat barrel cortex using extracellular local field potential (LFP) recordings and optical intrinsic signal (OIS) recordings. We found that ischemia-like conditions induced by oxygen-glucose deprivation (OGD) evoked AD, which manifested as a large negative LFP shift and an increase in light transmittance. AD typically initiated in one or more barrels and further spread across the entire slice with a preferential propagation through L4. Elevated extracellular potassium concentration accelerated the AD onset without affecting proneness of L4 to AD. In live slices, barrels were most heavily labeled by the metabolic level marker 2,3,5-triphenyltetrazolium chloride, suggesting that the highest metabolic demand is in L4 when compared to the other layers. Thus, L4 is the layer of the barrel cortex most prone to AD, which may be due to the highest metabolic demand and cell density in this layer.

<http://dx.doi.org/10.3389/fncel.2017.00390>

---

### Keywords

Anoxic depolarization, Barrel, Barrel cortex, Electrophysiology, Ischemia, Optical intrinsic signals, Silicone probes, Spreading cortical depression

### References

- [1] Aitken P. G., Fayuk D., Somjen G. G., Turner D. A. (1999). Use of intrinsic optical signals to monitor physiological changes in brain tissue slices. *Methods* 18, 91–103. DOI: 10.1006/meth.1999.0762
- [2] Aitken P. G., Tombaugh G. C., Turner D. A., Somjen G. G. (1998). Similar propagation of SD and hypoxic SD-like depolarization in rat hippocampus recorded optically and electrically. *J. Neurophysiol.* 80, 1514–1521.
- [3] Basarsky T. A., Duffy S. N., Andrew R. D., MacVicar B. A. (1998). Imaging spreading depression and associated intracellular calcium waves in brain slices. *J. Neurosci.* 18, 7189–7199.
- [4] Bogdanov V. B., Middleton N. A., Theriot J. J., Parker P. D., Abdullah O. M., Ju Y. S., et al. (2016). Susceptibility of primary sensory cortex to spreading depolarizations. *J. Neurosci.* 36, 4733–4743. DOI: 10.1523/JNEUROSCI.3694-15.2016
- [5] Canals S., Makarova I., López-Aguado L., Largo C., Ibarz J. M., Herreras O. (2005). Longitudinal depolarization gradients along the somatodendritic axis of CA1 pyramidal cells: a novel feature of spreading depression. *J. Neurophysiol.* 94, 943–951. DOI: 10.1152/jn.01145.2004

- [6] Dreier J. P. (2011). The role of spreading depression, spreading depolarization and spreading ischemia in neurological disease. *Nat. Med.* 17, 439–447. DOI: 10.1038/nm.2333
- [7] Dreier J. P., Reiffurth C. (2015). The stroke-migraine depolarization continuum. *Neuron* 86, 902–922. DOI: 10.1016/j.neuron.2015.04.004
- [8] Dugué G. P., Dumoulin A., Triller A., Dieudonné S. (2005). Target-dependent use of co-released inhibitory transmitters at central synapses. *J. Neurosci.* 25, 6490–6498. DOI: 10.1523/JNEUROSCI.1500-05.2005
- [9] Dzhalal V., Ben-Ari Y., Khazipov R. (2000). Seizures accelerate anoxia-induced neuronal death in the neonatal rat hippocampus. *Ann. Neurol.* 48, 632–640.
- [10] Feldmeyer D., Egger V., Lubke J., Sakmann B. (1999). Reliable synaptic connections between pairs of excitatory layer 4 neurones within a single 'barrel' of developing rat somatosensory cortex. *J. Physiol.* 521(Pt 1), 169–190. DOI: 10.1111/j.1469-7793.1999.00169.x
- [11] Goldlust E. J., Paczynski R. P., He Y. Y., Hsu C. Y., Goldberg M. P. (1996). Automated measurement of infarct size with scanned images of triphenyltetrazolium chloride-stained rat brains. *Stroke* 27, 1657–1662. DOI: 10.1161/01.STR.27.9.1657
- [12] Hartings J. A., Shuttleworth C. W., Kirov S. A., Ayata C., Hinzman J. M., Foreman B., et al. (2017). The continuum of spreading depolarizations in acute cortical lesion development: examining Leao's legacy. *J. Cereb. Blood Flow Metab.* 37, 1571–1594. DOI: 10.1177/0271678X16654495
- [13] Herreras O., Somjen G. G. (1993). Propagation of spreading depression among dendrites and somata of the same cell population. *Brain Res.* 610, 276–282. DOI: 10.1016/0006-8993(93)91411-K
- [14] Joshi I., Andrew R. D. (2001). Imaging anoxic depolarization during ischemia-like conditions in the mouse hemi-brain slice. *J. Neurophysiol.* 85, 414–424. DOI: 10.1152/jn.2001.85.1.414
- [15] Kaufmann D., Theriot J. J., Zyuzin J., Service C. A., Chang J. C., Tang Y. T., et al. (2017). Heterogeneous incidence and propagation of spreading depolarizations. *J. Cereb. Blood Flow Metab.* 37, 1748–1762. DOI: 10.1177/0271678X16659496
- [16] Kawai K., Nitecka L., Ruetzler C. A., Nagashima G., Joó F., Mies G., et al. (1992). Global cerebral ischemia associated with cardiac arrest in the rat: I. Dynamics of early neuronal changes. *J. Cereb. Blood Flow Metab.* 12, 238–249. DOI: 10.1038/jcbfm.1992.34
- [17] Khazipov R., Zaynutdinova D., Ogievetsky E., Valeeva G., Mitrukina O., Manent J. B., et al. (2015). Atlas of the postnatal rat brain in stereotaxic coordinates. *Front. Neuroanat.* 9:161. DOI: 10.3389/fnana.2015.00161
- [18] Leao A. A. (1947). Further observations on the spreading depression of activity in the cerebral cortex. *J. Neurophysiol.* 10, 409–414.
- [19] Lefort S., Tómm C., Floyd Sarria J. C., Petersen C. C. (2009). The excitatory neuronal network of the C2 barrel column in mouse primary somatosensory cortex. *Neuron* 61, 301–316. DOI: 10.1016/j.neuron.2008.12.020
- [20] Lin C. S., Polsky K., Nadler J. V., Crain B. J. (1990). Selective neocortical and thalamic cell death in the gerbil after transient ischemia. *Neuroscience* 35, 289–299. DOI: 10.1016/0306-4522(90)90083-G
- [21] Lipton P. (1999). Ischemic cell death in brain neurons. *Physiol. Rev.* 79, 1431–1568.
- [22] Martin R. L., Lloyd H. G., Cowan A. I. (1994). The early events of oxygen and glucose deprivation: setting the scene for neuronal death? *Trends Neurosci.* 17, 251–257. DOI: 10.1016/0166-2236(94)90008-6
- [23] Meyer H. S., Wimmer V. C., Oberlaender M., de Kock C. P., Sakmann B., Helmstaedter M. (2010). Number and laminar distribution of neurons in a thalamocortical projection column of rat vibrissa cortex. *Cereb. Cortex.* 20, 2277–2286. DOI: 10.1093/cercor/bhq067
- [24] Nedergaard M. (1996). Spreading depression as a contributor to ischemic brain damage. *Cell. Mol. Mech. Ischem. Brain Damage* 71, 75–84.
- [25] Nedergaard M., Hansen A. J. (1993). Characterization of cortical depolarizations evoked in focal cerebral ischemia. *J. Cereb. Blood Flow Metab.* 13, 568–574. DOI: 10.1038/jcbfm.1993.74
- [26] Pietrobon D., Moskowitz M. A. (2014). Chaos and commotion in the wake of cortical spreading depression and spreading depolarizations. *Nat. Rev. Neurosci.* 15, 379–393. DOI: 10.1038/nrn3770
- [27] Rader R. K., Lanthorn T. H. (1989). Experimental ischemia induces a persistent depolarization blocked by decreased calcium and NMDA antagonists. *Neurosci. Lett.* 99, 125–130. DOI: 10.1016/0304-3940(89)90276-0
- [28] Somjen G. G. (2001). Mechanisms of spreading depression and hypoxic spreading depression-like depolarization. *Physiol. Rev.* 81, 1065–1096. DOI: 10.1152/physrev.2001.81.3.1065
- [29] Tanaka E., Yamamoto S., Kudo Y., Mihara S., Higashi H. (1997). Mechanisms underlying the rapid depolarization produced by deprivation of oxygen and glucose in rat hippocampal CA1 neurons in vitro. *J. Neurophysiol.* 78, 891–902.
- [30] Tyzio R., Cossart R., Khalilov I., Minlebaev M., Hübner C. A., Represa A., et al. (2006). Maternal oxytocin triggers a transient inhibitory switch in GABA signaling in the fetal brain during delivery. *Science* 314, 1788–1792. DOI: 10.1126/science.1133212

- [31] Valiullina F., Akhmetshina D., Nasretdinov A., Mukhtarov M., Valeeva G., Khazipov R., et al. (2016). Developmental changes in electrophysiological properties and a transition from electrical to chemical coupling between excitatory layer 4 neurons in the rat barrel cortex. *Front. Neural Circuits*10:1. DOI: 10.3389/fncir.2016.00001
- [32] Wong-Riley M. T., Welt C. (1980). Histochemical changes in cytochrome oxidase of cortical barrels after vibrissal removal in neonatal and adult mice. *Proc. Natl. Acad. Sci. U.S.A.* 77, 2333–2337. DOI: 10.1073/pnas.77.4.2333